Investigation of Guidance Technologies for **Spinning Projectiles**

Mr. Joe Buzzett General Dynamics Ordnance and Tactical Systems GENERAL DYNAMICS
Ordnance and Tactical Systems St. Petersburg, FL

Mr. Dick Nixon U.S. Army Armament Development and Engineering Center Picatinny Arsenal, NJ



Dr. Tibor Horwath TG&C Associates Falmouth, VA



36th Annual Gun & Ammunition Symposium & Exhibition San Diego, CA

April 9-12, 2001

Approved for Public Release - Distribution Unlimited

GENERAL DYNAMICS

OUTLINE

- Discussion of Guidance Approach
- Applications
- Accuracy and Effectiveness Benefits
- Summary

Approved for Public Release - Distribution Unlimited

GENERAL DYNAMICS
Ordnance and Tactical Systems

Evolution of Guided Projectiles

Conventional Munitions

1960's - 1970's

Cost < \$1,000



Volume 100,000

Guided Munitions

1980's

1990's

Cost \$30,000



Volume 5,000

COPPERHEAD



SADARM



Gimbled Seeker Laser Designator

PGMM



XM982



ERGM



Laser Designator

Gimballed Seekers Sensor-Fuzed Munitions Radar Receivers GPS Growth to IR/Fire & Forget


LOW COST COURSE CORRECTION

New Millenium

Cost < \$1,000



Volume 100,000



Explosive thrusters Laser receivers Automated manufacturing


Applications
25mm Bullet
KE Applications
2.75 Rockets
60/81mm Mortars
105mm Artillery
Shoulder Fixed Systems
Tank Ammunition

BACK TO THE FUTURE

Approved for Public Release - Distribution Unlimited

GENERAL DYNAMICS

Guidance Approach for Spinning Projectiles



Approach

- Improve CEP of Rockets and Bullets using Body Fixed Guidance Approach
- Employ Control System after build up of angular error exceeds threshold
- Fast impulse thrusters for control authority
- Low cost seeker using using off the shelf components

GENERAL DYNAMICS






2.75" ROCKET



Tank Ammunition



Medium Caliber Projectiles

Mortars


Approved for Public Release - Distribution Unlimited


GENERAL DYNAMICS
Ordnance and Tactical Systems

Energetic Diverter Development

Aerodynamic Modeling

Flight Testing






- •Modeling shows feasibility of using thrusters to improve accuracy
- •Flight Testing has shown amplification factor of diverters due to aerodynamic interaction

Approved for Public Release - Distribution Unlimited


GENERAL DYNAMICS

HARDWARE-IN-THE-LOOP SIMULATIONS Scene Conducting Hardware in the Loop Testing to Verify Seeker Function Approved for Public Release - Distribution Unlimited GENERAL DYNAMICS Ordnance and Tactical Systems




Effectiveness Analysis

2.75" HYDRA-70 Rocket



120mm Mortar



- •Target -Dismounted Motorized Infantry Company
- Significantly fewer rounds required to defeat target with more accurate rocket
- 60% fewer rounds required with LCCC for 2 hr MET
- 90% fewer rounds required with LCCC for STD MET

Greatly improves logistics and survivability

Approved for Public Release - Distribution Unlimited

GENERAL DYNAMICS

SUMMARY

- Affordable guidance key to future military effectiveness
- Significant Accuracy Improvement Appears
 Achievable with Body Fixed guidance
 approach employing fast impulse thrusters
 and low cost Seeker
- Applications to new and existing munitions and rockets
- Further work concentrating on demonstration testing and gun hardening of components